



VSH XPress Carbon reduced T-piece

C1415

XPress

The VSH XPress C1415 is a carbon steel reduced T-piece with 3 press ends. By using VSH XPress in your piping installation you can install in a quick, easy and clean way. VSH XPress provides a complete piping system suitable for every conceivable application.

- Insert stop: stop edge for pipe end
- Provided with all relevant approvals
- Leak Before Pressed-function
- Clear identification on fitting of material and dimension

Applications

Solutions

Approvals

Assortment

Art. No	Size	Item weight	l x w x h	Packaging	GTIN
6202768	12x12x15	0.05 kg	61x54x23	bag (10 pce)	08711985096774
6202561	15x15x12	0.06 kg	70x53x23	bag (10 pce)	08711985096378
6202779	15x15x18	0.07 kg	70x57x27	bag (10 pce)	08711985096798
6202781	15x15x22	0.08 kg	70x63x32	bag (10 pce)	08711985096811
6202570	18x18x12	0.07 kg	73x52x27	bag (10 pce)	08711985096392
6202581	18x18x15	0.08 kg	73x55x27	bag (10 pce)	08711985096415
6202790	18x18x22	0.09 kg	73x63x32	bag (10 pce)	08711985096835
6202592	22x22x12	0.09 kg	79x60x32	bag (10 pce)	08711985096439
6202603	22x22x15	0.10 kg	79x63x32	bag (10 pce)	08711985096453
6202614	22x22x18	0.10 kg	79x63x32	bag (10 pce)	08711985096477
6202801	22x22x28	0.12 kg	79x71x38	bag (5 pce)	08711985096859
6202625	28x28x15	0.13 kg	90x62x38	bag (5 pce)	08711985139778
6202636	28x28x18	0.13 kg	90x64x38	bag (5 pce)	08711985096514
6202647	28x28x22	0.14 kg	90x67x38	bag (5 pce)	08711985139761
6202658	35x35x15	0.17 kg	103x66x45	bag (5 pce)	08711985139327
6202669	35x35x18	0.18 kg	103x67x45	bag (5 pce)	08711985139334
6202671	35x35x22	0.18 kg	103x71x45	bag (5 pce)	08711985116526
6202680	35x35x28	0.20 kg	103x76x45	bag (5 pce)	08711985139341
6202691	42x42x22	0.25 kg	120x73x54	bag (4 pce)	08711985096637
6202702	42x42x28	0.26 kg	120x78x54	bag (4 pce)	08711985096651
6202713	42x42x35	0.27 kg	120x85x54	bag (4 pce)	08711985096675
6202724	54x54x22	0.35 kg	142x79x65	bag (2 pce)	08711985096699
6202735	54x54x28	0.37 kg	142x84x65	bag (2 pce)	08711985096712

Art. No	Size	Item weight	l x w x h	Packaging	GTIN
6202746	54x54x35	0.38 kg	142x91x65	bag (2 pce)	08711985096736
6202757	54x54x42	0.39 kg	142x100x65	bag (2 pce)	08711985096750
6340345	66.7x66.7x28	0.66 kg	198x89x83	bag (1 pce)	08711985292343
6340356	66.7x66.7x35	0.67 kg	198x96x83	bag (1 pce)	08711985292350
6340367	66.7x66.7x42	0.69 kg	198x107x83	bag (1 pce)	08711985292367
6340378	66.7x66.7x54	0.72 kg	198x116x83	bag (1 pce)	08711985292374
6207047	76.1x76.1x22	0.96 kg	230x84x95	bag (2 pce)	08711985258929
6207058	76.1x76.1x28	0.97 kg	230x104x95	bag (2 pce)	08711985258936
6207069	76.1x76.1x35	0.98 kg	230x109x95	bag (2 pce)	08711985258943
6207071	76.1x76.1x42	0.99 kg	230x124x95	bag (2 pce)	08711985258950
6206475	76.1x76.1x54	1.07 kg	230x143x95	bag (2 pce)	08711985182071
6340389	76.1x76.1x66.7	1.23 kg	252x147x95	bag (1 pce)	08711985292381
6209654	88.9x88.9x22	1.27 kg	260x92x110	bag (2 pce)	08711985258967
6209665	88.9x88.9x28	1.26 kg	260x111x110	bag (2 pce)	08711985258974
6209676	88.9x88.9x35	1.28 kg	260x119x110	bag (2 pce)	08711985258981
6209687	88.9x88.9x42	1.28 kg	260x132x110	bag (2 pce)	08711985258998
6209698	88.9x88.9x54	1.31 kg	260x150x110	bag (2 pce)	08711985257069
6340391	88.9x88.9x66.7	1.32 kg	256x154x110	bag (1 pce)	08711985292398
6206486	88.9x88.9x76.1	1.50 kg	260x164x110	bag (2 pce)	08711985182125
6209711	108x108x22	1.93 kg	310x101x133	bag (2 pce)	08711985259001
6209720	108x108x28	1.95 kg	310x121x133	bag (2 pce)	08711985259018
6209731	108x108x35	1.97 kg	310x129x133	bag (2 pce)	08711985259025
6209742	108x108x42	1.90 kg	310x142x133	bag (2 pce)	08711985259032
6209753	108x108x54	1.97 kg	310x161x133	bag (2 pce)	08711985259049
6209764	108x108x76.1	2.15 kg	310x175x133	bag (2 pce)	08711985259056
6206497	108x108x88.9	2.19 kg	310x184x133	bag (2 pce)	08711985182088

Dimensions

Art. No	Size	l1	d1	D1	z1	l2	d2	D2	z2	l3	d3	D3	z3
6202768	12x12x15	30.5	12 (DN10)	20	14	42.5	15 (DN12)	23	23	30.5	12 (DN10)	19	14
6202561	15x15x12	35	15 (DN12)	23	15	41	12 (DN10)	20	24	35	15 (DN12)	23	15
6202779	15x15x18	35	15 (DN12)	23	15	44	18 (DN15)	27	24	35	15 (DN12)	23	15
6202781	15x15x22	35	15 (DN12)	23	15	47.5	22 (DN20)	23	27	35	15 (DN12)	23	15
6202570	18x18x12	36.5	18 (DN15)	27	17	42.5	12 (DN10)	20	26	36.5	18 (DN15)	27	17
6202581	18x18x15	36.5	18 (DN15)	27	17	45.5	15 (DN12)	23	26	36.5	18 (DN15)	27	17
6202790	18x18x22	36.5	18 (DN15)	27	17	47	22 (DN20)	23	26	36.5	18 (DN15)	27	17
6202592	22x22x12	39.5	22 (DN20)	32	19	44.5	12 (DN10)	32	28	39.5	22 (DN20)	32	19
6202603	22x22x15	39.5	22 (DN20)	32	19	47.5	15 (DN12)	32	28	39.5	22 (DN20)	32	19
6202614	22x22x18	39.5	22 (DN20)	32	19	47.5	18 (DN15)	27	28	39.5	22 (DN20)	32	19
6202801	22x22x28	39.5	22 (DN20)	32	19	52	28 (DN25)	38	29	39.5	22 (DN20)	32	19
6202625	28x28x15	45	28 (DN25)	38	22	50.5	15 (DN12)	23	31	45	28 (DN25)	38	22
6202636	28x28x18	45	28 (DN25)	38	22	50.5	18 (DN15)	27	31	45	28 (DN25)	38	22
6202647	28x28x22	45	28 (DN25)	38	22	51.5	22 (DN20)	32	31	45	28 (DN25)	38	22
6202658	35x35x15	51.5	35 (DN32)	45	26	54	15 (DN12)	23	34	51.5	35 (DN32)	45	26
6202669	35x35x18	51.5	35 (DN32)	45	26	54	18 (DN15)	27	34	51.5	35 (DN32)	45	26
6202671	35x35x22	51.5	35 (DN32)	45	26	55	22 (DN20)	32	34	51.5	35 (DN32)	45	26
6202680	35x35x28	51.5	35 (DN32)	45	26	57	28 (DN25)	38	34	51.5	35 (DN32)	45	26
6202691	42x42x22	60.2	42 (DN40)	54	30	57.5	22 (DN20)	32	37	60.2	42 (DN40)	54	30
6202702	42x42x28	60.2	42 (DN40)	54	30	59.5	28 (DN25)	38	37	60.2	42 (DN40)	54	30
6202713	42x42x35	60.2	42 (DN40)	54	30	63.1	35 (DN32)	45	37	60.2	42 (DN40)	54	30
6202724	54x54x22	71	54 (DN50)	65	36	63.5	22 (DN20)	32	43	71	54 (DN50)	65	36
6202735	54x54x28	71	54 (DN50)	65	36	65.5	28 (DN25)	38	43	71	54 (DN50)	65	36
6202746	54x54x35	71	54 (DN50)	65	36	69	35 (DN32)	45	43	71	54 (DN50)	65	36
6202757	54x54x42	71	54 (DN50)	65	36	73	42 (DN40)	54	43	71	54 (DN50)	65	36
6340345	66.7x66.7x28	99	66.7 (DN65)	83	49	73	28 (DN25)	38	50	99	66.7 (DN65)	83	49
6340356	66.7x66.7x35	99	66.7 (DN65)	83	49	76	35 (DN32)	45	50	99	66.7 (DN65)	83	49
6340367	66.7x66.7x42	99	66.7 (DN65)	83	49	80	42 (DN40)	54	50	99	66.7 (DN65)	83	49
6340378	66.7x66.7x54	99	66.7 (DN65)	83	49	85	54 (DN50)	65	50	99	66.7 (DN65)	83	49
6207047	76.1x76.1x22	115	76.1 (DN65)	95	60	68	22 (DN20)	32	47	115	76.1 (DN65)	95	60
6207058	76.1x76.1x28	115	76.1 (DN65)	95	60	85	28 (DN25)	38	62	115	76.1 (DN65)	95	60
6207069	76.1x76.1x35	115	76.1 (DN65)	95	60	87	35 (DN32)	45	61	115	76.1 (DN65)	95	60
6207071	76.1x76.1x42	115	76.1 (DN65)	95	60	97	42 (DN40)	54	67	115	76.1 (DN65)	95	60
6206475	76.1x76.1x54	115	76.1 (DN65)	95	60	110	54 (DN50)	65	75	115	76.1 (DN65)	95	60
6340389	76.1x76.1x66.7	115	76.1 (DN65)	95	60	104	66.7 (DN65)	83	54	115	76.1 (DN65)	95	60
6209654	88.9x88.9x22	130	88.9 (DN80)	110	67	76	22 (DN20)	32	55	130	88.9 (DN80)	110	67
6209665	88.9x88.9x28	130	88.9 (DN80)	110	67	92	28 (DN25)	38	69	130	88.9 (DN80)	110	67
6209676	88.9x88.9x35	130	88.9 (DN80)	110	67	97	35 (DN32)	45	71	130	88.9 (DN80)	110	67
6209687	88.9x88.9x42	130	88.9 (DN80)	110	67	105	42 (DN40)	54	75	130	88.9 (DN80)	110	67

Art. No	Size	l1	d1	D1	z1	l2	d2	D2	z2	l3	d3	D3	z3
6209698	88.9x88.9x54	130	88.9 (DN80)	110	67	117	54 (DN50)	65	82	130	88.9 (DN80)	110	67
6340391	88.9x88.9x66.7	130	88.9 (DN80)	110	67	111	66.7 (DN65)	83	61	130	88.9 (DN80)	110	67
6206486	88.9x88.9x76.1	130	88.9 (DN80)	110	67	117	76.1 (DN65)	95	62	130	88.9 (DN80)	110	67
6209711	108x108x22	155	108 (DN100)	133	78	85	22 (DN20)	32	64	155	108 (DN100)	133	78
6209720	108x108x28	155	108 (DN100)	133	78	102	28 (DN25)	38	79	155	108 (DN100)	133	78
6209731	108x108x35	155	108 (DN100)	133	78	107	35 (DN32)	45	81	155	108 (DN100)	133	78
6209742	108x108x42	155	108 (DN100)	133	78	115	42 (DN40)	54	85	155	108 (DN100)	133	78
6209753	108x108x54	155	108 (DN100)	133	78	128	54 (DN50)	65	93	155	108 (DN100)	133	78
6209764	108x108x76.1	155	108 (DN100)	133	78	128	76.1 (DN65)	95	73	155	108 (DN100)	133	78
6206497	108x108x88.9	155	108 (DN100)	133	78	137	88.9 (DN80)	110	82	155	108 (DN100)	133	78

Characteristics

Colors	silver
Materials	steel (St 34.2 (1.0034))
Manufacturer	VSH
Shape	T-piece, Reducer (90º)
Connection type	Press (M)
Sealing	EPDM

Technical specifications

Max. operating pressure	16 bar (liquid)
Min. temperature	-35ºC
Max. temperature	135ºC
Peak temperature	150ºC

General

Category	fittings
ETIM class	EC003025 Fitting with 3 connections
Intrastat code	73079980

Downloads

	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download

	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Deeplink Source: VSH XPress		Download
	Diagram Source: VSH XPress		Download
	Fire protection brochure (EN) High quality and cost-competitive piping systems	12 Mar 2015 PDF	Download
	Fire protection Broschüre (DE) Hochwertige Qualität und kostengünstige Rohrleitungssysteme	18 Mar 2015 PDF	Download
	Fire protection manuel technique (FR) Manuel technique	26 Oct 2015 PDF	Download
	Fire protection technical manual (EN) Technical manual	16 Nov 2015 PDF	Download

	Fire Protection technisches Handbuch (DE) Technisches Handbuch	16 Nov 2015 PDF	Download
	Fire Protection Teknisk håndbok (NO) Teknisk håndbok	07 Jun 2016 PDF	Download
	Image for internet Source: VSH XPress		Download
	Robinet à tournant sphérique VSH XPress FullFlow (FR) Un passage à 100%	24 Jul 2018 PDF	Download
	Shipbuilding brochure (EN) Complete high-quality piping systems	12 Mar 2015 PDF	Download
	Shipbuilding Broschüre (DE) Das komplette Leitungssystem	18 Mar 2015 PDF	Download
	VSH XPress Acier Carbone ATG Source: VSH XPress	PDF	Download
	VSH XPress Brochure (BE) Le système de canalisation complet à raccords à sertir à profi l M	28 May 2019 PDF	Download
	VSH XPress brochure (EN) The complete piping system with M-profile press fittings	18 Mar 2015 PDF	Download
	VSH XPress Brochure (FR) Le système de canalisation complet à raccords à sertir à profi l M	05 Feb 2019 PDF	Download
	VSH XPress brochurev (AR) M شبكة الأنابيب الكاملة بتركيبات الكبس على شكل حرف	24 Nov 2015 PDF	Download
	VSH XPress Broschüre (DE) Das komplette Rohrleitungssystem mit M-Profil -Pressfittings	16 Sep 2015 PDF	Download
	VSH XPress brosjyrev (NO) Det komplette rørsystemet med M-profi l-pressfi ttings	24 Nov 2015 PDF	Download
	VSH XPress Bureau Veritas Source: VSH XPress	PDF	Download
	VSH XPress Carbon LR Source: VSH XPress	PDF	Download
	VSH XPress CSTBat Source: VSH XPress	PDF	Download
	VSH XPress DNV-GL Source: VSH XPress	PDF	Download
	VSH XPress Druckverlusttabellen (DE) Abmessungen 12-108 mm	18 May 2016 PDF	Download
	VSH XPress FullFlow Kugelhahn (DE) 100% Durchlass	24 Jul 2018 PDF	Download
	VSH XPress installation instructions Source: VSH XPress	PDF	Download
	VSH XPress LPCB Source: VSH XPress	PDF	Download
	VSH XPress manuel technique (FR) Manuel technique	07 Sep 2016 PDF	Download
	VSH XPress perte de pression (FR) Dimensions 12-108 mm	18 May 2016 PDF	Download
	VSH XPress pressure loss tables (EN) Dimensions 12-108 mm	21 Jun 2013 PDF	Download
	VSH XPress SBSC Source: VSH XPress	PDF	Download
	VSH XPress SITAC Source: VSH XPress	PDF	Download
	VSH XPress Staalverzinkt ATG Source: VSH XPress	PDF	Download
	VSH XPress Staalverzinkt RINA 20211206 Source: VSH XPress	PDF	Download
	VSH XPress Staalverzinkt SPF Source: VSH XPress	PDF	Download
	VSH XPress technical manual (EN) Technical manual	18 Mar 2015 PDF	Download
	VSH XPress technisches handbuch (DE) Technisches handbuch	30 Jan 2017 PDF	Download
	VSH XPress UL/ULC Source: VSH XPress	PDF	Download
	VSH XPress VdS Source: VSH XPress	PDF	Download